Journal of Materials
Index to Volume 3
1968

Number	Month of Issue	Pages
1	March	1–236
2	June	237–466
3	September	467–724
4	December	725–1028

A

Accelerated tests, for the evaluation of mold resistance of paint films (Ross), September, 594
Aggregates
  evaluation techniques for structural quality synthetic aggregates (Das and Ledbetter), December, 824
  translucency of mineral aggregates for built-up roofs (Tibbetts and Robson), June, 455
Alkalies, significance of total and water-soluble alkali contents of portland cement (McCoy and Eshenour), September, 684
Aluminum alloys
  corrosion and fatigue studies of extruded 7075-T6 spar caps (Shaffer, Sebastian, Rosenfeld, and Ketcham), June, 400
  effects of cold working on the fatigue strength of heat-treated aluminum alloys: a review of ARL data and the literature (Lyst), December, 996
  fatigue behavior of rocket engine materials to −452 F (4 K) (Nachtigall, Klima, and Freche), June, 425
  mechanical properties of beryllium filament-reinforced aluminum composites (Toy), March, 43
  nonpropagating fatigue crack analysis in notched parts with compressive mean stress (Gerber and Fuchs), June, 359
Asphaltic concrete
  hardening of asphalt during production of asphaltic concrete mixes (Lee and Csanyi), September, 538
  water permeability of asphalt concrete specimens using back-pressure saturation (Vallerga and Hicks), March, 73
Austenitic stainless steels
  high-strength turbo-generator retaining ring forgings of an age hardenable austenitic alloy (Fritz and DeForest), September, 629
  Rockwell hardness of annealed stable austenitic stainless steels (Ludwigson), September, 496
Autoclaving, binders of autoclaved products (Kalousek and Kopanda), June, 304

B

Babel, H. W., and Sines, G.: An improved method for uniaxial and biaxial testing of brittle materials, March, 134
Babitz, Menachem, Rocker, Arye, and Shavit-Stern, A. B.: Influence of light on the results of the ASTM copper strip corosion test, September, 585
Back-pressure saturation, water permeability of asphalt concrete specimens using back-pressure saturation (Vallerga and Hicks), March, 73
Bainite, yield and flow of tempered and prestrained and retempered martensite and bainite (DiCesare), June, 444
Baroch, C. J.: *see* Harbinson, E. N., and Baroch, C. J.
Bearing capacity, pile-soil-interactions during vibro-pile-driving (Bernhard), March, 178
Behun, M. F.: *see* Smith, G. V., and Behun, M. F.
Bennett, J. A.: *see* Shives, T. R., and Bennett, J. A.
Benning, F. N.: Simulation of average sea level sunlight (air mass two), September, 571
Bernett, F. E.: Effects of mortar shrinkage on ceramic tile installations, September, 672
Bernhard, R. K.: Pile-soil-interactions during vibro-pile-driving, March, 178
Beryllium, fracture toughness of beryllium (Harris and Dunegan), March, 59
Binders, of autoclaved products (Kalousek and Kopanda), June, 304
Biodeterioration, accelerated tests for the evaluation of mold resistance of paint films (Ross), September, 594
Biological compatibility, progress in metallic surgical implants (Schmeisser), December, 951
Bitumin, evaluation techniques for structural quality synthetic aggregates (Das and Ledbetter), December, 824
Bonding efficiency, mechanical properties and bonding efficiency of steel composites (Hickey), March, 3
Boron, irradiation effects in Fortiweld steel containing different boron isotopes (Grounes), September, 614
Bricks, clayey soil-lime specimens hardended by steam (Mateos), June, 294
Brittle, an improved method for uniaxial and biaxial testing of brittle materials (Babel and Sines), March, 134

C

Calcium compounds, drying of plaster of paris at temperatures between 21 and 37 C (Hancox), March, 153

Calcium silicate hydrates, binders of autoclaved products (Kalousek and Kopanda), June, 304
Caplan, I. L., and Zwilsky, K. M.: Investigation of the notch sensitivity of nickel-copper-aluminum alloy rod, June, 375
Cellular concrete, relationship between microvoid structure and volumetric changes of plastic cellular concrete (McCormick and Euyen), March, 87
Cement
  early hydration reactions of abnormal setting portland cement (Jugovic and Gillam), September, 517
  potential compound composition of portland cement clinker (Hansen), March, 100
  significance of total and water-soluble alkali contents of portland cement (McCoy and Eshenour), September, 684
Ceramics, an improved method for uniaxial and biaxial testing of brittle materials (Babel and Sines), March, 134
Chen, P. E.: *see* Nielsen, L. E., and Chen, P. E.
Clay
  consolidation of partially saturated kaolinite and black cotton soil (Reddy and Joy), June, 256
  strain rate influence on shear strength characteristics of a saturated kaolinitic clay (Nagaraj), March, 210
Cleaning, detection and removal of iron contamination from stainless steel surfaces (Lackey and Streicher), December, 983
Closed loop testing, effect of cyclic stressing on the yield behavior of vacuum melted iron (Stephens), June, 386
Cold working
  effect of composition on heat-affected-zone notched rupture strength of a stainless steel (Hull), June, 239
  effects of cold working on the fatigue strength of heat-treated aluminum alloys: a review of ARL data and the literature (Lyst), December, 996
  properties of cold-reduced 300-grade 18Ni maraging steel (Spaeder and Murphy), March, 116
Composites
  mechanical properties and bonding efficiency of steel composites (Hickey), March, 3
  mechanical properties of beryllium filament-reinforced aluminum composites (Toy), March, 43
  Young's modulus of composites filled with randomly oriented fibers (Nielsen and Chen), June, 352
Compression tests, an improved method for uniaxial and biaxial testing of brittle materials (Babel and Sines), March, 134
Compressive strength
  effect of core diameter on measured concrete strength (Meininger), June, 320
  temperature-dependent strength characteristics of sand-asphalt mixtures (Pagen and Khosla), September, 501
Concrete
  effect of core diameter on measured concrete strength (Meininger), June, 320
  evaluation techniques for structural quality synthetic aggregates (Das and Ledbetter), December, 824
  low-radioactivity concrete (Wollenberg and Smith), December, 757
Conductors, reversed bending fatigue characteristics of copper-clad steel conductors (Fox), March, 32
Construction material
  evaluation techniques for structural quality synthetic aggregates (Das and Ledbetter), December, 824
  soil as an engineering material (Holtz), December, 847
Contamination, detection and removal of iron contamination from stainless steel surfaces (Lackey and Streicher), December, 983
Copper, influence of light on the results of the ASTM copper strip corrosion test (Babitz, Rocker, and Shavit-Stern), September, 585
Copper-nickel alloys, thermal conductivity of cupro-nickel alloys at elevated temperatures (Willett), December, 744
Copper-steel wire, reversed bending fatigue characteristics of copper-clad steel conductors (Fox), March, 32
Corrosion
  influence of light on the results of the ASTM copper strip corrosion test (Babitz, Rocker, and Shavit-Stern), September, 585
  progress in metallic surgical implants (Schmeisser), December, 951
Cox, T. B.: *see* Eckel, J. F., and Cox, T. B.
Coyle, H. M., and Shiffert, J. B.: Manufactured soil samples for laboratory research, June, 272
Cracking (fracturing)
  analysis of nonpropagating fatigue cracks in notched parts with compressive mean stress (Gerber and Fuchs), June, 359
  new technique for initiating fatigue precracks in fracture specimens (D'Annessa and Owens), June, 312
Creep, nonlinear combined stress creep experiments on rigid polyurethane foam with application to multiple integral and modified superposition theory (Findley and Stanley), December, 916
Creep-rupture properties, mechanical properties of beryllium filament-reinforced aluminum composites (Toy), March, 43
Cryogenics, fatigue behavior of rocket engine materials to −452 F (4 K) (Nachtigall, Klima, and Freche), June, 425
Csanyi, L. H.: *see* Lee, D. Y., and Csanyi, L. H.
Cumulative damage, investigation of a random cumulative damage theory

(Sweet and Kozin), December, 802
Curing, size effects in gypsum mortars (White and Sabnis), March, 163
Cylinders, an improved method for the determination of torsional and flexural resonance frequencies of cylindrical specimens (Dickson and Spinner), September, 716

D

D'Annessa, A. T., and Owens, J. S.: New techniques for initiating fatigue precracks in fracture specimens, June, 312
Das, S. K., and Ledbetter, W. B.: Evaluation techniques for structural quality synthetic aggregates, December, 824
Davison, J. I.: *see* Ritchie, T., and Davison, J. I.
DeForest, D. R.: *see* Fritz, K. E., and DeForest, D. R.
DiCesare, Eugene:
Prestrain and retemper of martensitic and bainitic 4340 steel, September, 559
Yield and flow of tempered and prestrained and retempered martensite and bainite, June, 444
Dickson, R. W., and Spinner, S.: An improved method for the determination of torsional and flexural resonance frequencies of cylindrical specimens, September, 716
Differential thermal analysis, early hydration reactions of abnormal setting portland cement (Jugovic and Gillam), September, 517
Dimensional measurements, dimensional stability of gage block materials (Meyerson, Giles, and Newfeld), December, 727
Dunegan, H. L.: *see* Harris, D. O., and Dunegan, H. L.

E

Early hydration reactions of abnormal setting portland cement (Jugovic and Gillam), September, 517
Earthquakes, soil as an engineering material (Holtz), December, 847
Eckel, J. F., and Cox, T. B.: Temperature dependence of the solid solubility of nitrogen in AISI Type 304 stainless steel, September, 605
Embrittlement, effect of torsional prestrain on the embrittlement of mild steel (Theocaris and Samaras), December, 780
Environment, effect of environment on the fatigue properties of selected engineering alloys (Shives and Bennett), September, 695
Eshenour, O. L.: *see* McCoy, W. J., and Eshenour, O. L.
Euyen, E. J. A.: *see* McCormick, F. C., and Euyen, E. J. A.
Evaluation
prestrain and retemper of martensitic and bainitic 4340 steel (DiCesare), September, 559
Rockwell hardness of annealed stable austenitic stainless steels (Ludwigson), September, 496
Extrusion soil, manufactured soil samples for laboratory research (Coyle and Shiffert), June, 272

F

Fatigue
analysis of nonpropagating fatigue cracks in notched parts with compressive mean stress (Gerber and Fuchs), June, 359
broad-band, random-load fatigue testing facility (Hillberry and Johnson), March, 18
corrosion and fatigue studies of extruded 7075-T6 spar caps (Shaffer, Sebastian, Rosenfeld, and Ketchum), June, 400
effect of cyclic stressing on the yield behavior of vacuum melted iron (Stephens), June, 386
effect of environment on the fatigue properties of selected engineering alloys (Shives and Bennett), September, 695
effects of cold working on the fatigue strength of heat-treated aluminum alloys: a review of ARL data and the literature (Lyst), December, 996
fatigue behavior of rocket engine materials to −452 F (4 K) (Nachtigall, Klima, and Freche), June, 425
impact-fatigue testing of titanium alloys (Weltzin and Koves), September, 469
investigation of a random cumulative damage theory (Sweet and Kozin), December, 802
mechanical properties of beryllium filament-reinforced aluminum composites (Toy), March, 43
new technique for initiating fatigue precracks in fracture specimens (D'Annessa and Owens), June, 312
progress in metallic surgical implants (Schmeisser), December, 951
reversed bending fatigue characteristics of copper-clad steel conductors (Fox), March, 32
smooth specimen simulation of fatigue behavior of notches (Wetzel), September, 646
Fibers, Young's modulus of composites filled with randomly oriented fibers (Nielsen and Chen), June, 352
Films, anisotropy of Mylar A sheets (Ishai, Weller, and Singer), June, 337
Findley, W. N., and Stanley, C. A.: Nonlinear combined stress creep experiments on rigid polyurethane foam with application to multiple integral and modified superposition theory, December, 916
Fitzpatrick, J. M.: Strain-hardening characteristics of four new steels and a titanium alloy, December, 977
Flow (materials), yield and flow of tempered and prestrained and retempered martensite and bainite (DiCesare), June, 444

Foundations, soil as an engineering material (Holtz), December, 847
Fox, Alfred: Reversed bending fatigue characteristics of copper-clad steel conductors, March, 32
Fracture toughness
fracture toughness of beryllium (Harris and Dunegan), March, 59
new technique for initiating fatigue precracks in fracture specimens (D'Annessa and Owens), June, 312
properties of cold-reduced 300-grade 18Ni maraging steel (Spaeder and Murphy), March, 116
Freche, J. C.: *see* Nachtigall, A. J., Freche, J. C., and Klima, S. J.
Freezing, moisture content and freeze-thaw cycles of masonry materials (Ritchie and Davison), September, 658
Frequency response, broad-band, random-load fatigue testing facility (Hillberry and Johnson), March, 18
Fritz, K. E., and DeForest, D. R.: High-strength turbo-generator retaining ring forgings of an age hardenable austenitic alloy, September, 629
Fuchs, H. O.: *see* Gerber, T. L., and Fuchs, H. O.
Fungi resistance, accelerated tests for the evaluation of mold resistance of paint films (Ross), September, 594

G

Gage blocks, dimensional stability of gage block materials (Meyerson, Giles, and Newfeld), December, 727
Gerber, T. L., and Fuchs, H. O.: Analysis of nonpropagating fatigue cracks in notched parts with compressive mean stress, June, 359
Giles, P. M.: *see* Meyerson, M. R., Giles, P. M., and Newfeld, P. F.
Gillam, J. L.: *see* Jugovic, Z. T., and Gillam, J. L.
Grounes, M.: Irradiation effects in Fortiweld steel containing different boron isotopes, September, 614
Gypsum, size effects in gypsum mortars (White and Sabnis), March, 163

H

Hancox, N. L.: The drying of plaster of paris at temperatures between 21 and 37 C, March, 153
Hansen, W. C.: Potential compound composition of portland cement clinker, March, 100
Harbinson, E. N., and Baroch, C. J.: Mechanical properties of Zircaloy-4 after irradiation at 130, 650, and 775 F, March, 107
Hardening of asphalt during production of asphaltic concrete mixes (Lee and Csanyi), September, 538
Harris, D. O., and Dunegan, H. L.: Fracture toughness of beryllium, March, 59
Hickey, C. F., Jr.: Mechanical properties and bonding efficiency of steel composites, March, 3
Hicks, R. G.: *see* Vallerga, B. A., and Hicks, R. G.
High-strength steels, prestrain and retemper of martensitic and bainitic 4340 steel (DiCesare), September, 559
High temperature, thermal conductivity of cupro-nickel alloys at elevated temperatures (Willett), December, 744
Hillberry, B. M., and Johnson, B. L.: Broad-band, random-load fatigue testing facility, March, 18
Holtz, W. G.: Soil as an engineering material, December, 847
Hull, F. C.: Effect of composition on heat-affected-zone notched rupture strength of a stainless steel, June, 239

I

Impact tests, impact-fatigue testing of titanium alloys (Weltzin and Koves), September, 469
Implants, progress in metallic surgical implants (Schmeisser), December, 951
Intergranular corrosion, corrosion and fatigue studies of extruded 7075-T6 spar caps (Shaffer, Sebastian, Rosenfeld, and Ketcham), June, 400
Iron, effect of cyclic stressing on the yield behavior of vacuum melted iron (Stephens), June, 386
Irradiation, effects in Fortiweld steel containing different boron isotopes (Grounes), September, 614
Ishai, O., Weller, T., and Singer, J.: Anisotropy of Mylar A sheets, June, 337
Isotopes, irradiation effects in Fortiweld steel containing different boron isotopes (Grounes), September, 614

J

Johnson, B. L.: *see* Hillberry, B. M., and Johnson, B. L.
Joy, M. J.: *see* Reddy, A. S., and Joy, M. J.
Jugovic, Z. T., and Gillam, J. L.: Early hydration reactions of abnormal setting portland cement, September, 517

K

Kalousek, G. L., and Kopanda, J. E.: Binders of autoclaved products, June, 304
Ketcham, S. J.: *see* Shaffer, I. S., Ketcham, S. J., Sebastian, J. C., and Rosenfeld, M. S.
Khosla, V. K.: *see* Pagen, C. A., and Khosla, V. K.
Klima, S. J.: *see* Nachtigall, A. J., Klima, S. J., and Freche, J. C.
Kopanda, J. E.: *see* Kalousek, G. L., and Kopanda, J. E.
Koves, Gabor: *see* Weltzin, R. D., and Koves, Gabor
Kozin, F.: *see* Sweet, A. L., and Kozin, F.

L

Lackey, J. Q., and Streicher, M. A.: Detection and removal of iron con-

tamination from stainless steel surfaces, December, 983
Ladanyi, B., and Nguyen, D.: Perforated beam test for determining tensile strength of rock, September, 483
Ledbetter, W. B.: *see* Das, S. K., and Ledbetter, W. B.
Lee, D. Y., and Csanyi, L. H.: Hardening of asphalt during production of asphaltic concrete mixes, September, 538
Length standards, dimensional stability of gage block materials (Meyerson, Giles, and Newfeld), December, 727
Ludwigson, D. C.: Rockwell hardness of annealed stable austenitic stainless steels, September, 496
Lyst, J. O.: The effects of cold working on the fatigue strength of heat-treated aluminum alloys: a review of ARL data and the literature, December, 996

M

Magnesium alloys, effect of environment on the fatigue properties of selected engineering alloys (Shives and Bennett), September, 695
Maraging steels, properties of cold-reduced 300-grade 18Ni maraging steel (Spaeder and Murphy), March, 116
Martensitic stainless steel, yield and flow of tempered and prestrained and retempered martensite and bainite (DiCesare), June, 444
Masonry, moisture content and freeze-thaw cycles of masonry materials (Ritchie and Davison), September, 658
Mateos, Manuel: Clayey soil-lime specimens hardened by steam, June, 294
McCormick, F. C., and Euyen, E. J. A.: Relationship between microvoid structure and volumetric changes of plastic cellular concrete, March, 87
McCoy, W. J., and Eshenour, O. L.: Significance of total and water-soluble alkali contents of portland cement, September, 684
Mechanical properties, an improved method for uniaxial and biaxial testing of brittle materials (Babel and Sines), March, 134
Mechanical properties
  high-strength turbo-generator retaining ring forgings of an age hardenable austenitic alloy (Fritz and DeForest), September, 629
  mechanical properties of beryllium filament-reinforced aluminum composites (Toy), March, 43
  mechanical properties of Zircaloy-4 after irradiation at 130, 650, and 775 F (Harbinson and Baroch), March, 107
  properties of cold-reduced 300-grade 18Ni maraging steel (Spaeder and Murphy), March, 116
  reversed bending fatigue characteristics of copper-clad steel conductors (Fox), March, 32
  size effects in gypsum mortars (White and Sabnis), March, 163
Meininger, R. C.: Effect of core diameter on measured concrete strength, June, 320
Metals, progress in metallic surgical implants (Schmeisser), December, 951
Meyerson, M. R., Giles, P. M., and Newfeld, P. F.: Dimensional stability of gage block materials, December, 727
Mild steel, effect of cyclic stressing on the yield behavior of vacuum melted iron (Stephens), June, 386
Moisture content
  drying of plaster of paris at temperatures between 21 and 37 C (Hancox), March, 153
  moisture content and freeze-thaw cycles of masonry materials (Ritchie and Davison), September, 658
Mortar, effects of mortar shrinkage on ceramic tile installations (Bernett), September, 672
Murphy, W. J.: *see* Spaeder, G. J., and Murphy, W. J.
Mylar physical properties, anisotropy of Mylar A sheets (Ishai, Weller, and Singer), June, 337

N

Nachtigall, A. J., Klima, S. J., and Freche, J. C.: Fatigue behavior of rocket engine materials to −452 F (4 K), June, 425
Nagaraj, T. S.: Strain rate influence on shear strength characteristics of a saturated kaolinitic clay, March, 210
Neuber's rule, smooth specimen simulation of fatigue behavior of notches (Wetzel), September, 646
Newfeld, P. F.: *see* Meyerson, M. R., Newfeld, P. F., and Giles, P. M.
Nguyen, D.: *see* Ladanyi, B., and Nguyen, D.
Nickel-copper-aluminum alloy, investigation of the notch sensitivity of nickel-copper-aluminum alloy rod (Caplan and Zwilsky), June, 375
Nielsen, L. E., and Chen, P. E.: Young's modulus of composites filled with randomly oriented fibers, June, 352
Nitrogen, temperature dependence of the solid solubility of nitrogen in AISI Type 304 stainless steel (Eckel and Cox), September, 605
Notch sensitivity
  investigation of the notch sensitivity of nickel-copper-aluminum alloy rod (Caplan and Zwilsky), June, 375
  smooth specimen simulation of fatigue behavior of notches (Wetzel), September, 646
Nuclear reactors, mechanical properties of Zircaloy-4 after irradiation at 130, 650, and 775 F (Harbinson and Baroch), March, 107

O

Owens, J. S.: *see* D'Annessa, A. T., and Owens, J. S.

P

Pagen, C. A., and Khosla, V. K.: Temperature-dependent strength characteristics of sand-asphalt mixtures, September, 501

Permeability, water permeability of asphalt concrete specimens using back-pressure saturation (Vallerga and Hicks), March, 73

Piles and pile driving, pile-soil-interactions during vibro-pile-driving (Bernhard), March, 178

Plaster of paris, drying of plaster of paris at temperatures between 21 and 37 C (Hancox), March, 153

Plastic concrete, relationship between microvoid structure and volumetric changes of plastic cellular concrete (McCormick and Euyen), March, 87

Plastics, nonlinear combined stress creep experiments on rigid polyurethane foam with application to multiple integral and modified superposition theory (Findley and Stanley), December, 916

Poly (ethylene terephthalate), anisotropy of Mylar A sheets (Ishai, Weller, and Singer), June, 337

Polyurethane foam, nonlinear combined stress creep experiments on rigid polyurethane foam with application to multiple integral and modified superposition theory (Findley and Stanley), December, 916

Portland cement, potential compound composition of portland cement clinker (Hansen), March, 100

Prestrain, and retemper of martensitic and bainitic 4340 steel (DiCesare), September, 559

Q

Quench aging, an experiment on combined quench and strain aging in 1020 steel (Smith and Behun), March, 28

R

Radiation, low-radioactivity concrete (Wollenberg and Smith), December, 757

Radiation effects, mechanical properties of Zircaloy-4 after irradiation at 130, 650, and 775 F (Harbinson and Baroch), March, 107

Reddy, A. S., and Joy, M. J.: Consolidation of partially saturated kaolinite and black cotton soil, June, 256

Renninger, F. A. (discussion), September, 556

Resonant frequency, an improved method for the determination of torsional and flexural resonance frequencies of cylindrical specimens (Dickson and Spinner), September, 716

Retemper, prestrain and retemper of martensitic and bainitic 4340 steel (DiCesare), September, 559

Ritchie, T., and Davison, J. I.: Moisture content and freeze-thaw cycles of masonry materials, September, 658

Robson, D. R.: *see* Tibbetts, D. C., and Robson, D. R.

Rock, perforated beam test for determining tensile strength of rock (Ladanyi and Nguyen), September, 483

Rocker, Arye: *see* Babitz, Menachem, Rocker, Arye, and Shavit-Stern, A. B.

Rockwell hardness number, of annealed stable austenitic stainless steels (Ludwigson), September, 496

Rosenfeld, M. S.: *see* Shaffer, I. S., Rosenfeld, M. S., Sebastian, J. C., and Ketcham, S. J.

Ross, R. T.: Accelerated tests for the evaluation of mold resistance of paint films, September, 594

S

Sabnis, G. M.: *see* White, R. N., and Sabnis, G. M.

Samaras, G.: *see* Theocaris, P. S., and Samaras, G.

Sand-asphalt mixtures, temperature-dependent strength characteristics of sand-asphalt mixtures (Pagen and Khosla), September, 501

Schmeisser, Gerhard, Jr.: Progress in metallic surgical implants, December, 951

Sebastian, J. C.: *see* Shaffer, I. S., Sebastian, J. C., Rosenfeld, M. S., and Ketcham, S. J.

Shaffer, I. S., Sebastian, J. C., Rosenfeld, M. S., and Ketcham, S. J.: Corrosion and fatigue studies of extruded 7075-T6 spar caps, June, 400

Shavit-Stern, A. B.: *see* Babitz, Menachem, Shavit-Stern, A. B., and Rocker, Arye

Shear strength, strain rate influence on shear strength characteristics of a saturated kaolinitic clay (Nagaraj), March, 210

Shielding, low-radioactivity concrete (Wollenberg and Smith), December, 757

Shiffert, J. B.: *see* Coyle, H. M., and Shiffert, J. B.

Shives, T. R., and Bennett, J. A.: The effect of environment on the fatigue properties of selected engineering alloys, September, 695

Shrinkage, effects of mortar shrinkage on ceramic tile installations (Bernett), September, 672

Sines, G.: *see* Babel, H. W., and Sines, G.

Singer, J.: *see* Ishai, O., Singer, J., and Weller, T.

Smith, A. R.: *see* Wollenberg, H. A., and Smith, A. R.

Smith, G. V., and Behun, M. F.: An experiment on combined quench and strain aging in 1020 steel, March, 28

Soil-lime, clayey soil-lime specimens hardened by steam (Mateos), June, 294

Soil (material)
- consolidation of partially saturated kaolinite and black cotton soil (Reddy and Joy), June, 256
- manufactured soil samples for labora-

tory research (Coyle and Shiffert), June, 272
Soil mechanics, strain rate influence on shear strength characteristics of a saturated kaolinitic clay (Nagaraj), March, 210
Soil stabilization
clayey soil-lime specimens hardened by steam (Mateos), June, 294
pile-soil-interactions during vibro-pile-driving (Bernhard), March, 178
Soils engineering, soil as an engineering material (Holtz), December, 847
Solar spectrum, simulation of average sea level sunlight (air mass two) (Benning), September, 571
Solid solubility, temperature dependence of the solid solubility of nitrogen in AISI Type 304 stainless steel (Eckel and Cox), September, 605
Space environment, simulation of average sea level sunlight (air mass two) (Benning), September, 571
Spaeder, G. J., and Murphy, W. J.: Properties of cold-reduced 300-grade 18Ni maraging steel, March, 116
Spinner, S.: *see* Dickson, R. W., and Spinner, S.
Stainless steels
detection and removal of iron contamination from stainless steel surfaces (Lackey and Streicher), December, 983
effect of composition on heat-affected-zone notched rupture strength of a stainless steel (Hull), June, 239
fatigue behavior of rocket engine materials to −452 F (4 K) (Nachtigall, Klima, and Freche), June, 425
Stanley, C. A.: *see* Findley, W. N., and Stanley, C. A.
Steel
effect of torsional prestrain on the embrittlement of mild steel (Theocaris and Samaras), December, 780
experiment on combined quench and strain aging in 1020 steel (Smith and Behun), March, 28
investigation of a random cumulative damage theory (Sweet and Kozin), December, 802
mechanical properties and bonding efficiency of steel composites (Hickey), March, 3
progress in metallic surgical implants (Schmeisser), December, 951
strain-hardening characteristics of four new steels and a titanium alloy (Fitzpatrick), December, 977
Stephens, R. I.: The effect of cyclic stressing on the yield behavior of vacuum melted iron, June, 386
Strain aging, an experiment on combined quench and strain aging in 1020 steel (Smith and Behun), March, 28
Strain hardening, characteristics of four new steels and a titanium alloy (Fitzpatrick), December, 977
Streicher, M. A.: *see* Lackey, J. Q., and Streicher, M. A.
Sunlight environment, simulation of average sea level sunlight (air mass two) (Benning), September, 571
Sweet, A. L., and Kozin, F.: Investigation of a random cumulative damage theory, December, 802

T

Temperature, dependence of the solid solubility of nitrogen in AISI Type 304 stainless steel (Eckel and Cox), September, 605
Tensile properties
investigation of the notch sensitivity of nickel-copper-aluminum alloy rod (Caplan and Zwilsky), June, 375
yield and flow of tempered and prestrained and retempered martensite and bainite (DiCesare), June, 444
Tension tests
improved method for uniaxial and biaxial testing of brittle materials (Babel and Sines), March, 134
perforated beam test for determining tensile strength of rock (Ladanyi and Nguyen), September, 483
Testing machines, broad-band, random-load fatigue testing facility (Hillberry and Johnson), March, 18
Theocaris, P. S., and Samaras, G.: The effect of torsional prestrain on the embrittlement of mild steel, December, 780
Thermal conductivity, of cupro-nickel alloys at elevated temperatures (Willett), December, 744
Tibbetts, D. C., and Robson, D. R.: Translucency of mineral aggregates for built-up roofs, June, 455
Tile (material), effects of mortar shrinkage on ceramic tile installations (Bernett), September, 672
Titanium alloys
impact-fatigue testing of titanium alloys (Weltzin and Koves), September, 469
progress in metallic surgical implants (Schmeisser), December, 951
strain-hardening characteristics of four new steels and titanium alloy (Fitzpatrick), December, 977
Torsion
effect of torsional prestrain on the embrittlement of mild steel (Theocaris and Samaras), December, 780
improved method for the determination of torsional and flexural resonance frequencies of cylindrical specimens (Dickson and Spinner), September, 716
Toy, Albert: Mechanical properties of beryllium filament-reinforced aluminum composites, March, 43
Translucence, of mineral aggregates for built-up roofs (Tibbetts and Robson), June, 455
Turbo-generators, high-strength turbo-generator retaining ring forgings of an age hardenable austenitic alloy (Fritz and DeForest), September, 629

U

Ultraviolét light, translucency of mineral aggregates for built-up roofs

(Tibbetts and Robson), June, 455

V

Vallerga, B. A., and Hicks, R. G.: Water permeability of asphalt concrete specimens using back-pressure saturation, March, 73

W

Welding, effect of composition on heat-affected-zone notched rupture strength of a stainless steel (Hull), June, 239
Weller, T.: *see* Ishai, O., Weller, T., and Singer, J.
Weltzin, R. D., and Koves, Gabor: Impact-fatigue testing of titanium alloys, September, 469
Wetzel, R. M.: Smooth specimen simulation of fatigue behavior of notches, September, 646
White, R. N., and Sabnis, G. M.: Size effects in gypsum mortars, March, 163
Willett, R. E.: Thermal conductivity of cupro-nickel alloys at elevated temperatures, December, 744
Wills, M. H., Jr. (discussion), September, 557
Wollenberg, H. A., and Smith, A. R.: Low-radioactivity concrete, December, 757

Z

Zirconium alloys, mechanical properties of Zircaloy-4 after irradiation at 130, 650, and 775 F (Harbinson and Baroch), March, 107
Zwilsky, K. M.: *see* Caplan, I. L., and Zwilsky, K. M.